(5) HAER No. WY (17-11)

Bessemer Bend Bridge Comming Historic Truss Editor Survey Spanning North Platte River at Bessemer Bend, on County Road No. 58 Casper vicinity Natrona County Wyoming

HAER WVO, 13-CASPV,

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA

Historic American Engineering Record
Rocky Mountain Regional Office
National Park Service
U. S. Department of the Interior
P. O. Box 25287
Denver, Colorado 80225

HISTORIC AMERICAN ENGINEERING RECORD

HAER WYO. 13-CASP. V,

Bessemer Bend Bridge

HAER NO. WY-47-D

Location:

Spanning North Platte River at Bessemer Bend, on

County Road No. 58; 6.3 miles southwest of Casper, in

Natrona County, Wyoming

UTM:

13.374785.4736380

Quad: Emigrant Gap

Date of Construction:

1921-1922

Present Owner:

Natrona County 200 North Center

Casper, Wyoming 82601

Present Use:

Vehicular Bridge

Significance:

The Bessemer Bend Bridge is a unique subtype of the

standard Warren truss. One of only three Warren

Through trusses still in use on the County Road System, it is the only one with verticals at alternating panel points. The two pony approach spans are also unusual,

though not unique in their configuration.

Historians:

Clayton B. Fraser and Richard G. Ewig

November 1981

NOTE: For more general information, see Wyoming Truss Bridges Survey, HAFR No. WY 17.

I. HISTORY

Built in 1921-22 for Natrona County, the Bessemer Bend Bridge spans the North Platte River at the historic Bessemer Bend crossing of the Oregon Trail, an important emigrant site. $^{\rm 1}$

II. DESCRIPTION

The bridge is a single span, steel rigid connected Warren Through truss with verticals at alternating panel points and a single span Warren Pony truss on either end. The through truss is 195 feet and the pony trusses are each 65 feet in length. The roadway width is 18 feet, 10 inches. The top chords are two channels with cover plate and lacing; bottom chords are two channels with batten plates, verticals are two angles with lacing, and the diagonals are two channels with batten plates or two angles with batten plates.²

Natrona County Commissioners' Minutes, October 5, 1921.

Historical Bridge Survey and Inventory Form. Wyoming State Highway Department.